



- NOTES:
- 1. MATERIAL: STRUCTURAL TUBE
ASTM A500 GRADE C (46 KSI [317.2 MPa] MIN. YIELD,
62 KSI [427.5 MPa] MIN. TENSILE)
 - 2. ALTERNATE MATERIAL: STRUCTURAL TUBE
API 5L GRADE B (42 KSI [289.6 MPa] MIN YIELD,
62 KSI [427 MPa] MIN TENSILE)

REVISIONS				
REV.	ZONE	DESCRIPTION	BY	DATE
A		INITIAL RELEASE	ACG	11/08/21
B		UPDATE 2-7/8" O.D. PIPE TO ASTM A500	ACG	03/18/22



Part Number	Description	Outside Diameter		Pipe Length		Structural Tube			
		Inch	mm	Inch	mm	Wall Thickness		Weight	
						Inch	mm	LBS	Kg
FM-MT648	2-3/8" O.D. X 2' (24") Structural Tube	2.375	60.33	24.0	609.6	0.120	3.0	5.7	2.6
FM-MT649	2-3/8" O.D. X 3' (36") Structural Tube	2.375	60.33	36.0	914.4	0.120	3.0	8.6	3.9
FM-MT650	2-3/8" O.D. X 4' (48") Structural Tube	2.375	60.33	48.0	1219.2	0.120	3.0	11.4	5.2
FM-MT65063	2-3/8" O.D. X 5'3" (63") Structural Tube	2.375	60.33	63.0	1600.2	0.120	3.0	15.0	6.8
FM-MT651	2-3/8" O.D. X 6' (72") Structural Tube	2.375	60.33	72.0	1828.8	0.120	3.0	17.1	7.8
FM-MT65184	2-3/8" O.D. X 7' (84") Structural Tube	2.375	60.33	84.0	2133.6	0.120	3.0	20.0	9.1
FM-MT65196	2-3/8" O.D. X 8' (96") Structural Tube	2.375	60.33	96.0	2438.4	0.120	3.0	22.9	10.4
FM-MT651108	2-3/8" O.D. X 9' (108") Structural Tube	2.375	60.33	108.0	2743.2	0.120	3.0	25.7	11.7
FM-MT651114	2-3/8" O.D. X 9'6" (114") Structural Tube	2.375	60.33	114.0	2895.6	0.120	3.0	27.1	12.3
FM-MT537	2-3/8" O.D. X 10'6" (126") Structural Tube	2.375	60.33	126.0	3200.4	0.120	3.0	30.0	13.6
FM-MT651150	2-3/8" O.D. X 12'6" (150") Structural Tube	2.375	60.33	150.0	3810.0	0.120	3.0	35.7	16.2
FM-MT537160	2-3/8" O.D. X 13'4" (160") Structural Tube	2.375	60.33	160.0	4064.0	0.120	3.0	38.1	17.3
FM-MT537170	2-3/8" O.D. X 14'2" (170") Structural Tube	2.375	60.33	170.0	4318.0	0.120	3.0	40.5	18.4
FM-MT537186	2-3/8" O.D. X 15'6" (186") Structural Tube	2.375	60.33	186.0	4724.4	0.120	3.0	44.3	20.1
FM-MT538	2-3/8" O.D. X 21' (252") Structural Tube	2.375	60.33	252.0	6400.8	0.120	3.0	60.0	27.2

ALL DIMENSIONS ARE IN INCHES U.O.S.
TOLERANCES UNLESS OTHERWISE SPECIFIED:
.X = ± ANGLES ±2"
.XX = ± FRACTIONS ±1/32
.XXX= ±
REMOVE BURRS AND BREAK EDGES .005

DO NOT SCALE THIS PRINT

DRAWN BY:
ACG

CHECKED BY:
MKV

DATE:
11/08/21

REVISION:
B

SHEET:
1 of 4

SCALE:
NTS

MATERIAL:
SEE NOTES

FINISH:
GALV A123



WEIGHT:
SEE TABLE

PART NUMBER:
BULK PIPE Series

DESCRIPTION:
BULK PIPE (SEE TABLE)

DRAWING TYPE:
SHOP DRAWING

- NOTES:
- 1. MATERIAL: STRUCTURAL TUBE
ASTM A500 GRADE C (46 KSI [317.2 MPa] MIN. YIELD,
62 KSI [427.5 MPa] MIN. TENSILE)
 - 2. ALTERNATE MATERIAL: STRUCTURAL TUBE
API 5L GRADE B (42 KSI [289.6 MPa] MIN YIELD,
62 KSI [427 MPa] MIN TENSILE)



Part Number	Description	Outside Diameter		Pipe Length		SCH 40 Pipe			
						Wall Thickness		Weight	
		Inch	mm	Inch	mm	Inch	mm	LBS	Kg
FM-MT54648	2-7/8" O.D. X 4' (48") Structural Tube	2.875	73.03	48.0	1219.2	0.120	3.0	14.0	6.3
FM-MT54672	2-7/8" O.D. X 6' (72") Structural Tube	2.875	73.03	72.0	1828.8	0.120	3.0	20.9	9.5
FM-MT54684	2-7/8" O.D. X 7' (84") Structural Tube	2.875	73.03	84.0	2133.6	0.120	3.0	24.4	11.1
FM-MT54696	2-7/8" O.D. X 8' (96") Structural Tube	2.875	73.03	96.0	2438.4	0.120	3.0	27.9	12.7
FM-MT546120	2-7/8" O.D. X 10' (120") Structural Tube	2.875	73.03	120.0	3048.0	0.120	3.0	34.9	15.8
FM-MT546126	2-7/8" O.D. X 10'6" (126") Structural Tube	2.875	73.03	126.0	3200.4	0.120	3.0	36.6	16.6
FM-MT546150	2-7/8" O.D. X 12'6" (150") Structural Tube	2.875	73.03	150.0	3810.0	0.120	3.0	43.6	19.8
FM-MT546170	2-7/8" O.D. X 14'2" (170") Structural Tube	2.875	73.03	170.0	4318.0	0.120	3.0	49.4	22.4
FM-MT546198	2-7/8" O.D. X 16'6" (198") Structural Tube	2.875	73.03	198.0	5029.2	0.120	3.0	57.6	26.1
FM-MT546222	2-7/8" O.D. X 18'6" (222") Structural Tube	2.875	73.03	222.0	5638.8	0.120	3.0	64.6	29.3
FM-MT546	2-7/8" O.D. X 21' (252") Structural Tube	2.875	73.03	252.0	6400.8	0.120	3.0	73.3	33.2

ALL DIMENSIONS ARE IN INCHES U.O.S.
TOLERANCES UNLESS OTHERWISE SPECIFIED:
.X = ± ANGLES ±2"
.XX = ± FRACTIONS ±1/32
.XXX= ±
REMOVE BURRS AND BREAK EDGES .005

DO NOT SCALE THIS PRINT

DRAWN BY:
ACG

CHECKED BY:
MKV

DATE:
11/08/21

REVISION:
B

SHEET:
2 of 4

SCALE:
NTS

MATERIAL:
SEE NOTES

FINISH:
GALV A123



WEIGHT:
SEE TABLE

PART NUMBER:
BULK PIPE Series

DESCRIPTION:
BULK PIPE (SEE TABLE)

DRAWING TYPE:
SHOP DRAWING

- NOTES:
- 1. MATERIAL: STRUCTURAL TUBE
ASTM A500 GRADE C (46 KSI [317.2 MPa] MIN. YIELD,
62 KSI [427.5 MPa] MIN. TENSILE)
 - 2. ALTERNATE MATERIAL: STRUCTURAL TUBE
API 5L GRADE B (42 KSI [289.6 MPa] MIN YIELD,
62 KSI [427 MPa] MIN TENSILE)



Part Number	Description	Outside Diameter		Pipe Length		Structural Tube			
		Inch	mm	Inch	mm	Wall Thickness		Weight	
						Inch	mm	LBS	Kg
FM-MT54748	3-1/2" O.D. X 4' (48") Structural Tube	3.500	88.90	48.0	1219.2	0.120	4.2	17.1	7.8
FM-MT54772	3-1/2" O.D. X 6' (72") Structural Tube	3.500	88.90	72.0	1828.8	0.120	4.2	25.7	11.7
FM-MT54775	3-1/2" O.D. X 6'3" (75") Structural Tube	3.500	88.90	75.0	1905.0	0.120	4.2	26.8	12.1
FM-MT54784	3-1/2" O.D. X 7' (84") Structural Tube	3.500	88.90	84.0	2133.6	0.120	4.2	30.0	13.6
FM-MT54796	3-1/2" O.D. X 8' (96") Structural Tube	3.500	88.90	96.0	2438.4	0.120	4.2	34.3	15.5
FM-MT547100	3-1/2" O.D. X 8'4" (100") Structural Tube	3.500	88.90	100.0	2540.0	0.120	4.2	35.7	16.2
FM-MT547108	3-1/2" O.D. X 9' (108") Structural Tube	3.500	88.90	108.0	2743.2	0.120	3.0	38.5	17.5
FM-MT547126	3-1/2" O.D. X 10'6" (126") Structural Tube	3.500	88.90	126.0	3200.4	0.120	3.0	45.0	20.4
FM-MT547140	3-1/2" O.D. X 11'8" (140") Structural Tube	3.500	88.90	140.0	3556.0	0.120	4.2	49.9	22.7
FM-MT21601	3-1/2" O.D. X 12'6" (150") Structural Tube	3.500	88.90	150.0	3810.0	0.120	3.0	53.5	24.3
FM-MF130	3-1/2" O.D. X 13'4" (160") Structural Tube	3.500	88.90	160.0	4064.0	0.120	3.0	57.1	25.9
FM-MF273	3-1/2" O.D. X 15'4" (184") Structural Tube	3.500	88.90	184.0	4673.6	0.120	3.0	65.6	29.8
FM-MF547	3-1/2" O.D. X 21' (252") Structural Tube	3.500	88.90	252.0	6400.8	0.120	3.0	89.9	40.8
FM-MT547174	3-1/2" O.D. X 14'6" (174") Structural Tube	3.500	88.90	174.0	4419.6	0.120	3.0	62.1	28.2
FM-MT547192	3-1/2" O.D. X 16' (192") Structural Tube	3.500	88.90	192.0	4876.8	0.120	3.0	68.5	31.1
FM-MT547216	3-1/2" O.D. X 18' (216") Structural Tube	3.500	88.90	216.0	5486.4	0.120	3.0	77.1	35.0

ALL DIMENSIONS ARE IN INCHES U.O.S.
TOLERANCES UNLESS OTHERWISE SPECIFIED:
.X = ± ANGLES ±2°
.XX = ± FRACTIONS ±1/32
.XXX= ±
REMOVE BURRS AND BREAK EDGES .005

DO NOT SCALE THIS PRINT

DRAWN BY:
ACG

CHECKED BY:
MKV

DATE:
11/08/21

REVISION:
B

SHEET:
3 of 4

SCALE:
NTS

MATERIAL:
SEE NOTES

FINISH:
GALV A123



WEIGHT:
SEE TABLE

PART NUMBER:
BULK PIPE Series

DESCRIPTION:
BULK PIPE (SEE TABLE)

DRAWING TYPE:
SHOP DRAWING

NOTES:
1. MATERIAL: SCH 40
ASTM A53 (30 KSI [206.8 MPa] MIN. YIELD,
48 KSI [330.9 MPa] MIN. TENSILE)



Part Number	Description	Outside Diameter		Pipe Length		SCH 40 Pipe			
						Wall Thickness		Weight	
		Inch	mm	Inch	mm	Inch	mm	LBS	Kg
FM-MT652	4-1/2" O.D. X 3' (36") SCH 40 Pipe	4.500	114.30	36.0	914.4	0.237	6.0	32.0	14.5
FM-MT653	4-1/2" O.D. X 4' (48") SCH 40 Pipe	4.500	114.30	48.0	1219.2	0.237	6.0	42.7	19.4
FM-MT65363	4-1/2" O.D. X 5'3" (63") SCH 40 Pipe	4.500	114.30	63.0	1600.2	0.237	6.0	56.0	25.4
FM-MT654	4-1/2" O.D. X 6' (72") SCH 40 Pipe	4.500	114.30	72.0	1828.8	0.237	6.0	64.0	29.0
FM-MT65496	4-1/2" O.D. X 8' (96") SCH 40 Pipe	4.500	114.30	96.0	2438.4	0.237	6.0	85.3	38.7
FM-MT539	4-1/2" O.D. X 10'6" (126") SCH 40 Pipe	4.500	114.30	126.0	3200.4	0.237	6.0	112.0	50.8
FM-MT654150	4-1/2" O.D. X 12'6" (150") SCH 40 Pipe	4.500	114.30	150.0	3810.0	0.237	6.0	133.3	60.5
FM-MT540	4-1/2" O.D. X 21' (252") SCH 40 Pipe	4.500	114.30	252.0	6400.8	0.237	6.0	224.0	101.6
FM-MTC987205	4-1/2" O.D. X 14'6" (174") SCH 40 Pipe	4.500	114.30	174.0	4419.6	0.237	6.0	154.6	70.1

ALL DIMENSIONS ARE IN INCHES U.O.S.
TOLERANCES UNLESS OTHERWISE SPECIFIED:
.X = ± ANGLES ±2"
.XX = ± FRACTIONS ±1/32
.XXX= ±
REMOVE BURRS AND BREAK EDGES .005

DO NOT SCALE THIS PRINT

DRAWN BY:
ACG

CHECKED BY:
MKV

DATE:
11/08/21

REVISION:
B

SHEET:
4 of 4

SCALE:
NTS

MATERIAL:
SEE NOTES

FINISH:
GALV A123

WEIGHT:
SEE TABLE

PART NUMBER:
BULK PIPE Series

DESCRIPTION:
BULK PIPE (SEE TABLE)

DRAWING TYPE:
SHOP DRAWING