





| REVISIONS |     |                 |     |          |
|-----------|-----|-----------------|-----|----------|
| REV.      | ECO | DESCRIPTION     | BY  | DATE     |
| A         | MTW | INITIAL RELEASE | ACG | 10/12/11 |
|           |     |                 |     |          |
|           |     |                 |     |          |

| ITEM | PART NUMBER | DESCRIPTION                               | QTY  |
|------|-------------|-------------------------------------------|------|
| 1    |             | Angle, Gripstrut, 38" Long                | 6    |
| 2    |             | Angle, Incline, 25.5" Long                | 4    |
| 3    |             | Angle, Horizontal, 25.5" Long             | 2    |
| 4    |             | Plate, Tube Mount, 7 x 14" Plate          | 2    |
| 5    |             | Plate, Bottom Angle Connector, 1/4" Plate | 4    |
| 6    |             | Plate, Side Angle Connector, 1/4" Plate   | 4    |
| 7    |             | Sq Tube, 72" Long                         | 1    |
| 8    |             | Plate-Guy Wire, 4.5" Plate                | 3    |
| 9    |             | Corner Clip Angle, 3 x 3                  | 4    |
| 10   |             | Cross Pipe Plate                          | 1    |
| 11   |             | Half Clamp, Medium                        | 3    |
| 12   |             | Grating, 24" x 2" x 36" Long              | 3    |
| 13   |             | J-BOLT-3/8"                               | 12   |
| 14   |             | 3/8" HEX NUT                              | 12   |
| 15   |             | 3/8" LOCK WASHER                          | 12   |
| 16   |             | 3/8" FLAT WASHER                          | 12   |
| 17   |             | 1/2" Sq U-Bolt for 3" Sq Tube, Grade 5    | 6    |
| 18   |             | Threaded Rod, 1/2" x 8", HDG              | 2    |
| 19   |             | Bolt, 1/2" x 1-1/2" (A325) HH HDG         | 52   |
| 20   |             | Nut, Hex, 1/2" HDG                        | 68   |
| 21   |             | Flat Washer, 1/2" HDG                     | 68   |
| 22   |             | Lock Washer, 1/2" HDG                     | 68   |
| 23   |             | Threaded Rod, 5/8" x 8", HDG              | 4    |
| 24   |             | Nut, Hex, 5/8" HDG                        | 8    |
| 25   |             | Flat Washer, 5/8" HDG                     | 8    |
| 26   |             | Lock Washer, 5/8" HDG                     | 8    |
| 27   |             | Guy Wire                                  | 100' |
| 28   |             | Shackle                                   | 3    |
| 29   |             | Thimble                                   | 6    |
| 30   |             | Cable Clip                                | 12   |
| 31   |             | Jaw/Eye Turnbuckle                        | 3    |
| 32   |             | Shim Plate                                | 2    |



THIRD ANGLE PROJECTION

THIS DOCUMENT CONTAINS PROPRIETARY DATA OF  
WANHO MANUFACTURING, LLC. NO DISCLOSURE,  
REPRODUCTION, OR USE OF ANY PART THEREOF MAY  
BE MADE EXCEPT BY WRITTEN PERMISSION.


ALL DIMENSIONS ARE IN INCHES U.O.S.  
TOLERANCES UNLESS OTHERWISE SPECIFIED:

.X = ±.06            ANGLES ±2°  
.XX = ±.03          FRACTIONS ±1/32  
.XXX = ±.010

REMOVE BURRS AND BREAK EDGES .005


DO NOT SCALE THIS PRINT

|                       |                        |                                              |
|-----------------------|------------------------|----------------------------------------------|
| DRAWN BY:<br>ACG      | DATE:<br>10/12/11      | PART NUMBER:<br><b>FM-MIS4C</b>              |
| CHECKED BY:<br>CC     | SHEET:<br>1 OF 3       | DESCRIPTION:<br>4' ICE SHIELD, CURVED DESIGN |
| REVISION:<br><b>A</b> | SCALE:<br>NTS          | Drawing Type:<br>Assembly Drawing            |
|                       | MATERIAL:<br>A36, A500 |                                              |
|                       | FINISH:<br>Galv A123   |                                              |



| REVISIONS |     |                 |     |          |
|-----------|-----|-----------------|-----|----------|
| REV.      | ECO | DESCRIPTION     | BY  | DATE     |
| A         | MTW | INITIAL RELEASE | ACG | 10/12/11 |
|           |     |                 |     |          |
|           |     |                 |     |          |


| ITEM | PART NUMBER | DESCRIPTION                               | QTY  |
|------|-------------|-------------------------------------------|------|
| 1    |             | Angle, Gripstrut, 38" Long                | 6    |
| 2    |             | Angle, Incline, 25.5" Long                | 4    |
| 3    |             | Angle, Horizontal, 25.5" Long             | 2    |
| 4    |             | Plate, Tube Mount, 7 x 14" Plate          | 2    |
| 5    |             | Plate, Bottom Angle Connector, 1/4" Plate | 4    |
| 6    |             | Plate, Side Angle Connector, 1/4" Plate   | 4    |
| 7    |             | Sq Tube, 72" Long                         | 1    |
| 8    |             | Plate-Guy Wire, 4.5" Plate                | 3    |
| 9    |             | Corner Clip Angle, 3 x 3                  | 4    |
| 10   |             | Cross Pipe Plate                          | 1    |
| 11   |             | Half Clamp, Medium                        | 3    |
| 12   |             | Grating, 24" x 2" x 36" Long              | 3    |
| 13   |             | J-BOLT-3/8"                               | 12   |
| 14   |             | 3/8" HEX NUT                              | 12   |
| 15   |             | 3/8" LOCK WASHER                          | 12   |
| 16   |             | 3/8" FLAT WASHER                          | 12   |
| 17   |             | 1/2" Sq U-Bolt for 3" Sq Tube, Grade 5    | 6    |
| 18   |             | Threaded Rod, 1/2" x 8", HDG              | 2    |
| 19   |             | Bolt, 1/2" x 1-1/2" (A325) HH HDG         | 52   |
| 20   |             | Nut, Hex, 1/2" HDG                        | 68   |
| 21   |             | Flat Washer, 1/2" HDG                     | 68   |
| 22   |             | Lock Washer, 1/2" HDG                     | 68   |
| 23   |             | Threaded Rod, 5/8" x 8", HDG              | 4    |
| 24   |             | Nut, Hex, 5/8" HDG                        | 8    |
| 25   |             | Flat Washer, 5/8" HDG                     | 8    |
| 26   |             | Lock Washer, 5/8" HDG                     | 8    |
| 27   |             | Guy Wire                                  | 100' |
| 28   |             | Shackle                                   | 3    |
| 29   |             | Thimble                                   | 6    |
| 30   |             | Cable Clip                                | 12   |
| 31   |             | Jaw/Eye Turnbuckle                        | 3    |
| 32   |             | Shim Plate                                | 2    |




THIRD ANGLE PROJECTION

|                                                                                                                                                                                                            |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| THIS DOCUMENT CONTAINS PROPRIETARY DATA OF WANHO MANUFACTURING, LLC. NO DISCLOSURE, REPRODUCTION, OR USE OF ANY PART THEREOF MAY BE MADE EXCEPT BY WRITTEN PERMISSION.                                     |  |
| ALL DIMENSIONS ARE IN INCHES U.O.S. TOLERANCES UNLESS OTHERWISE SPECIFIED:<br>.X = ±.06            ANGLES ±2'<br>.XX = ±.03           FRACTIONS ±1/32<br>.XXX = ±.010<br>REMOVE BURRS AND BREAK EDGES .005 |  |
| DO NOT SCALE THIS PRINT                                                                                                                                                                                    |  |


|                       |                        |                                                                                       |
|-----------------------|------------------------|---------------------------------------------------------------------------------------|
| DRAWN BY:<br>ACG      | DATE:<br>10/12/11      | PART NUMBER:<br><b>FM-MIS4C</b>                                                       |
| CHECKED BY:<br>CC     | SHEET:<br>2 OF 3       | DESCRIPTION:<br>4' ICE SHIELD, CURVED DESIGN                                          |
| REVISION:<br><b>A</b> | SCALE:<br>NTS          | Drawing Type:<br>Assembly Drawing                                                     |
|                       | MATERIAL:<br>A36, A500 |  |
|                       | FINISH:<br>Galv A123   |                                                                                       |



ITEM # 1  
QTY: 6  
Angle, Gripstrut, 38" Long




ITEM # 10  
QTY: 1  
Cross Pipe Plate



ITEM # 2  
QTY: 4  
Angle, Incline, 25.5" Long




ITEM # 4  
QTY: 2  
Plate, Tube Mount, 7 x 14" Plate



ITEM # 3  
QTY: 2  
Angle, Horizontal, 25.5" Long




ITEM # 32  
QTY: 2  
Shim Plate



ITEM # 7  
QTY: 1  
Sq Tube, 72" Long




ITEM # 11  
QTY: 3  
Half Clamp, Medium




ITEM # 6  
QTY: 4  
Plate, Side Angle Connector, 1/4" Plate




ITEM # 9  
QTY: 4  
Corner Clip Angle, 3 x 3



ITEM # 5  
QTY: 4  
Plate, Bottom Angle Connector, 1/4" Plate



ITEM # 8  
QTY: 3  
Plate-Guy Wire,  
4.5" Plate



THIRD ANGLE PROJECTION

|                                                                                                                                                                                                                                      |                    |                        |                                              |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|------------------------|----------------------------------------------|
| ALL DIMENSIONS ARE IN INCHES U.O.S.<br>TOLERANCES UNLESS OTHERWISE SPECIFIED:<br>.X = ±.06            ANGLES ±2'<br>.XX = ±.03        FRACTIONS ±1/32<br>.XXX= ±.010<br>REMOVE BURRS AND BREAK EDGES .005<br>DO NOT SCALE THIS PRINT | DRAWN BY:<br>ACG   | DATE:<br>10/12/11      | PART NUMBER:<br>FM-MIS4C                     |
|                                                                                                                                                                                                                                      | CHECKED BY:<br>CC  | SHEET:<br>3 OF 3       | DESCRIPTION:<br>4' ICE SHIELD, CURVED DESIGN |
|                                                                                                                                                                                                                                      | REVISION:<br><br>A | SCALE:<br>NTS          | Drawing Type:<br>Assembly Drawing            |
|                                                                                                                                                                                                                                      |                    | MATERIAL:<br>A36, A500 |                                              |
|                                                                                                                                                                                                                                      |                    | FINISH:<br>Galv A123   |                                              |

| REVISIONS |     |                 |     |          |
|-----------|-----|-----------------|-----|----------|
| REV.      | ECO | DESCRIPTION     | BY  | DATE     |
| A         | MTW | INITIAL RELEASE | ACG | 10/12/11 |
|           |     |                 |     |          |
|           |     |                 |     |          |

| ITEM | PART NUMBER | DESCRIPTION                               | QTY  |
|------|-------------|-------------------------------------------|------|
| 1    |             | Angle, Gripstrut, 38" Long                | 6    |
| 2    |             | Angle, Incline, 25.5" Long                | 4    |
| 3    |             | Angle, Horizontal, 25.5" Long             | 2    |
| 4    |             | Plate, Tube Mount, 7 x 14" Plate          | 2    |
| 5    |             | Plate, Bottom Angle Connector, 1/4" Plate | 4    |
| 6    |             | Plate, Side Angle Connector, 1/4" Plate   | 4    |
| 7    |             | Sq Tube, 72" Long                         | 1    |
| 8    |             | Plate-Guy Wire, 4.5" Plate                | 3    |
| 9    |             | Corner Clip Angle, 3 x 3                  | 4    |
| 10   |             | Cross Pipe Plate                          | 1    |
| 11   |             | Half Clamp, Medium                        | 3    |
| 12   |             | Grating, 24" x 2" x 36" Long              | 3    |
| 13   |             | J-BOLT-3/8"                               | 12   |
| 14   |             | 3/8" HEX NUT                              | 12   |
| 15   |             | 3/8" LOCK WASHER                          | 12   |
| 16   |             | 3/8" FLAT WASHER                          | 12   |
| 17   |             | 1/2" Sq U-Bolt for 3" Sq Tube, Grade 5    | 6    |
| 18   |             | Threaded Rod, 1/2" x 8", HDG              | 2    |
| 19   |             | Bolt, 1/2" x 1-1/2" (A325) HH HDG         | 52   |
| 20   |             | Nut, Hex, 1/2" HDG                        | 68   |
| 21   |             | Flat Washer, 1/2" HDG                     | 68   |
| 22   |             | Lock Washer, 1/2" HDG                     | 68   |
| 23   |             | Threaded Rod, 5/8" x 8", HDG              | 4    |
| 24   |             | Nut, Hex, 5/8" HDG                        | 8    |
| 25   |             | Flat Washer, 5/8" HDG                     | 8    |
| 26   |             | Lock Washer, 5/8" HDG                     | 8    |
| 27   |             | Guy Wire                                  | 100' |
| 28   |             | Shackle                                   | 3    |
| 29   |             | Thimble                                   | 6    |
| 30   |             | Cable Clip                                | 12   |
| 31   |             | Jaw/Eye Turnbuckle                        | 3    |
| 32   |             | Shim Plate                                | 2    |