


# PRODUCT DATA SHEET



## A) SPECIFICATIONS

Stainless steel

## B) RESISTANCE TESTS

UV Test BS-ISO 105-B06

Vibration test conforming to UNI 60068-2-6

## C) PACKAGING INFORMATION



Packing in boxes.

Label indicating:  
product code, article, quantity,  
production batch,  
FIMO logo and figure.  
( Customer code on request ).

## D) MOUNTING INSTRUCTIONS

On request

CODE	ARTICLE	D	T	BAG	BOX	WEIGHT
61 1518 0038	GO 38	38	40	20	100	102
61 1518 0050	GO 50	50	40	20	100	122
61 1518 0062	GO 62	62	40	20	100	136
61 1518 0080	GO 80	80	40	20	100	162
61 1518 0090	GO 90	90	40	10	50	216
61 1518 0100	GO 100	100	40	10	50	238

RI	DATE	DR	DATE	AP	Description:
02					GO - Round collar
01					
00	29/01/16	G.S.	29/01/16	A.V.	
1 <sup>ST</sup> EMISSION					Use: The GO collar is formed by two shells connected by two cylindrical headed M6 screws with cross/screwdriver cut. It is pre-assembled in order to avoid losing any parts. A central ø 8,5 mm hole allows the installation on supports with M8 screws. The M8-threaded hole of the upper shell allows more fastenings on the top. The nominal diameter D fits with the outer diameters of the <b>GRE</b> , <b>GRR</b> and <b>GRQ</b> elastic cushions.
					

FI.MO.TEC. S.p.a. reserves the right to modify the technical specifications without prior notice, according to the technical progress  
Copyright FI.MO.TEC. S.p.a. All rights reserved.