


# PRODUCT DATA SHEET



## A) SPECIFICATIONS

- 1 Stainless Steel Plate
- 2 Black EPDM Gasket
- 3 Removable Protective Film
- 4 Stainless Steel Hose Clamp for Collar (FAS)

## B) PACKAGING INFORMATION

Packing in boxes.  
Label indicating:  
product code, article, quantity,  
production batch,  
FIMO logo and figure.  
( Customer code on request ).

## C) MOUNTING INSTRUCTIONS

On request


## CERTIFICATION

|                |                |
|----------------|----------------|
| IEC 60529 IP67 | Waterproof     |
| REI 120        | Fire Resistant |
| EN 1366-3:2009 | Fire Resistant |

| CODE         | ARTICLE   | HOLES    | MEASURES |     | WALL HOLE                                                                           |                                                                                      | FAS | LUS | BAG | BOX | WEIGHT |
|--------------|-----------|----------|----------|-----|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-----|-----|-----|-----|--------|
|              |           |          | H        | L   |  |  |     |     |     |     |        |
| 61 1515 0138 | PPS 1/40  | 1 x Ø 40 | 65       | 65  | 1x Ø 40                                                                             | -                                                                                    | 1   | 1   | 1   | 10  | 125    |
| 61 1515 0162 | PPS 1/62  | 1 x Ø 62 | 85       | 85  | 1 x Ø 62                                                                            | -                                                                                    | 1   | 1   | 1   | 10  | 157    |
| 61 1515 0001 | PPS 90    | 1 x Ø 90 | 115      | 115 | 1 x Ø 100                                                                           | 90 x 90                                                                              | 1   | 1   | 1   | 10  | 330    |
| 61 1515 0011 | PPS 1/ 90 | 1 x Ø 90 | 150      | 150 | 1 x Ø 92                                                                            | 90 x 90                                                                              | 1   | 1   | 1   | 10  | 560    |

| RI                                                                                                                                       | DATE     | DR   | DATE                                                                                                           | AP   | <div>Description:</div> <div>PPS - Wall Entry</div> <div>Passing through Ø 40, 62, 90, for any kind of cable.<br/>Easy and quick sealing with hose clamp.<br/>Easy and quick installation.<br/>Fixings accessories included.<br/>Round and sectorial cushions available.<br/>Grounding bar on request.</div> |
|------------------------------------------------------------------------------------------------------------------------------------------|----------|------|----------------------------------------------------------------------------------------------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 02                                                                                                                                       |          |      |                                                                                                                |      |                                                                                                                                                                                                                                                                                                              |
| 01                                                                                                                                       |          |      |                                                                                                                |      |                                                                                                                                                                                                                                                                                                              |
| 00                                                                                                                                       | 29/01/16 | G.S. | 29/01/16                                                                                                       | A.V. |                                                                                                                                                                                                                                                                                                              |
| 1 <sup>ST</sup> EMISSION                                                                                                                 |          |      |                                                                                                                |      |                                                                                                                                                                                                                                                                                                              |
| <div><div>Building Sustainable Innovation</div></div> |          |      | <div>RoHS</div> <div></div> |      |                                                                                                                                                                                                                                                                                                              |

# PRODUCT DATA SHEET



## A) SPECIFICATIONS

- 1 Stainless Steel Plate
- 2 Black EPDM Gasket
- 3 Removable Protective Film
- 4 Stainless Steel Hose Clamp for Collar (FAS)

## B) PACKAGING INFORMATION

Packing in boxes.  
Label indicating:  
product code, article, quantity,  
production batch,  
FIMO logo and figure.  
( Customer code on request ).

## C) MOUNTING INSTRUCTIONS

On request


## CERTIFICATION

|                |                |
|----------------|----------------|
| IEC 60529 IP67 | Waterproof     |
| REI 120        | Fire Resistant |
| EN 1366-3:2009 | Fire Resistant |

| CODE         | ARTICLE   | HOLES    | MEASURES |     | WALL HOLE                                                                           |                                                                                      | FAS | LUS | BAG | BOX | WEIGHT |
|--------------|-----------|----------|----------|-----|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-----|-----|-----|-----|--------|
|              |           |          | H        | L   |  |  |     |     |     |     |        |
| 61 1515 0238 | PPS 2/40  | 2 x Ø 40 | 65       | 130 | 2x Ø 40                                                                             | -                                                                                    | 2   | 2   | 1   | 10  | 250    |
| 61 1515 0262 | PPS 2/62  | 2 x Ø 62 | 85       | 170 | 2 x Ø 62                                                                            | -                                                                                    | 2   | 2   | 1   | 10  | 314    |
| 61 1515 0012 | PPS 2/ 90 | 2 x Ø 90 | 150      | 300 | 2x Ø 90                                                                             | 90 x 240                                                                             | 2   | 2   | 1   | -   | 1000   |

| RI                                                                                                                   | DATE     | DR   | DATE                                                                                | AP   | Description:<br><br><b>PPS - Wall Entry</b><br><br><i>Passing through Ø 40, 62, 90, for any kind of cable.<br/>Easy and quick sealing with hose clamp.<br/>Easy and quick installation.<br/>Fixings accessories included.<br/>Round and sectorial cushions available.<br/>Grounding bar on request.</i> |
|----------------------------------------------------------------------------------------------------------------------|----------|------|-------------------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 02                                                                                                                   |          |      |                                                                                     |      |                                                                                                                                                                                                                                                                                                         |
| 01                                                                                                                   |          |      |                                                                                     |      |                                                                                                                                                                                                                                                                                                         |
| 00                                                                                                                   | 29/01/16 | G.S. | 29/01/16                                                                            | A.V. |                                                                                                                                                                                                                                                                                                         |
| 1 <sup>ST</sup> EMISSION                                                                                             |          |      |                                                                                     |      |                                                                                                                                                                                                                                                                                                         |
| <br>Setting Installation Standards |          |      |  |      |                                                                                                                                                                                                                                                                                                         |

# PRODUCT DATA SHEET



## A) SPECIFICATIONS

- 1 Stainless Steel Plate
- 2 Black EPDM Gasket
- 3 Removable Protective Film
- 4 Stainless Steel Hose Clamp for Collar (FAS)

## B) PACKAGING INFORMATION

Packing in boxes.  
Label indicating:  
product code, article, quantity,  
production batch,  
FIMO logo and figure.  
( Customer code on request ).

## C) MOUNTING INSTRUCTIONS

On request


## CERTIFICATION

|                |                |
|----------------|----------------|
| IEC 60529 IP67 | Waterproof     |
| REI 120        | Fire Resistent |
| EN 1366-3:2009 | Fire Resistent |

| CODE         | ARTICLE   | HOLES    | MEASURES |     | WALL HOLE                                                                           |                                                                                     | FAS | LUS | BAG | BOX | WEIGHT |
|--------------|-----------|----------|----------|-----|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----|-----|-----|-----|--------|
|              |           |          | H        | L   |  |  |     |     |     |     |        |
| 61 1515 0338 | PPS 3/40  | 3 x Ø 40 | 65       | 195 | 3 x Ø 40                                                                            | -                                                                                   | 3   | 2   | 1   | 10  | 375    |
| 61 1515 0362 | PPS 3/62  | 3 x Ø 62 | 85       | 255 | 3 x Ø 62                                                                            | -                                                                                   | 3   | 2   | 1   | 10  | 471    |
| 61 1515 0013 | PPS 3/ 90 | 3 x Ø 90 | 150      | 450 | 3 x Ø 90                                                                            | 90 x 390                                                                            | 3   | 2   | 1   | -   | 1400   |

| RI                                                                                                                   | DATE     | DR   | DATE                                                                                | AP   | Description:<br><br><b>PPS - Wall Entry</b><br><br><i>Passing through Ø 40, 62, 90, for any kind of cable.<br/>Easy and quick sealing with hose clamp.<br/>Easy and quick installation.<br/>Fixings accessories included.<br/>Round and sectorial cushions available.<br/>Grounding bar on request.</i> |
|----------------------------------------------------------------------------------------------------------------------|----------|------|-------------------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 02                                                                                                                   |          |      |                                                                                     |      |                                                                                                                                                                                                                                                                                                         |
| 01                                                                                                                   |          |      |                                                                                     |      |                                                                                                                                                                                                                                                                                                         |
| 00                                                                                                                   | 29/01/16 | G.S. | 29/01/16                                                                            | A.V. |                                                                                                                                                                                                                                                                                                         |
| 1 <sup>ST</sup> EMISSION                                                                                             |          |      |                                                                                     |      |                                                                                                                                                                                                                                                                                                         |
| <br>Setting Installation Standards |          |      |  |      |                                                                                                                                                                                                                                                                                                         |

# PRODUCT DATA SHEET



## A) SPECIFICATIONS

- 1 Stainless Steel Plate
- 2 Black EPDM Gasket
- 3 Removable Protective Film
- 4 Stainless Steel Hose Clamp for Collar (FAS)

## B) PACKAGING INFORMATION



Packing in boxes.  
Label indicating:  
product code, article, quantity,  
production batch,  
FIMO logo and figure.  
( Customer code on request ).

## C) MOUNTING INSTRUCTIONS

On request

### CERTIFICATION

|                |                |
|----------------|----------------|
| IEC 60529 IP67 | Waterproof     |
| REI 120        | Fire Resistant |
| EN 1366-3:2009 | Fire Resistant |

| FIGURE                                                                              | CODE         | ARTICLE     | HOLES     | MEASURES |     | WALL HOLE                                                                           |                                                                                       | FAS | LUS | BAG | BOX | WEIGHT |
|-------------------------------------------------------------------------------------|--------------|-------------|-----------|----------|-----|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-----|-----|-----|-----|--------|
|                                                                                     |              |             |           | H        | L   |  |  |     |     |     |     |        |
|  | 61 1515 0022 | PPS 2x2/ 90 | 4 x Ø 90  | 300      | 300 | 4 x Ø 90                                                                            | 240 x 240                                                                             | 4   | 2   | 1   | -   | 2000   |
|  | 61 1515 0023 | PPS 2x3/ 90 | 6 x Ø 90  | 300      | 450 | 6 x Ø 90                                                                            | 240 x 390                                                                             | 6   | 3   | 1   | -   | 3000   |
|  | 61 1515 0024 | PPS 2x4/ 90 | 8 x Ø 90  | 300      | 600 | 8 x Ø 90                                                                            | 240 x 540                                                                             | 8   | 3   | 1   | -   | 4000   |
|   | 61 1515 0025 | PPS 2x5/ 90 | 10 x Ø 90 | 300      | 750 | 10 x Ø 90                                                                           | 240x690                                                                               | 10  | 4   | 1   | -   | 5200   |
|   | 61 1515 0026 | PPS 2x6/ 90 | 12 x Ø 90 | 300      | 900 | 12 x Ø 90                                                                           | 240 x 840                                                                             | 12  | 4   | 1   | -   | 5800   |
|  | 61 1515 0033 | PPS 3x3/ 90 | 9 x Ø 90  | 450      | 450 | 9 x Ø 90                                                                            | 390 x 390                                                                             | 9   | 4   | 1   | -   | 4600   |

| RI | DATE     | DR   | DATE     | AP   |
|----|----------|------|----------|------|
| 02 |          |      |          |      |
| 01 |          |      |          |      |
| 00 | 29/01/16 | G.S. | 29/01/16 | A.V. |

1<sup>ST</sup> EMISSION



Description:

### PPS - Wall Entry

Passing through Ø 40, 62, 90, for any kind of cable.  
Easy and quick sealing with hose clamp.  
Easy and quick installation.  
Fixings accessories included.  
Round and sectorial cushions available.  
Grounding bar on request.